




Central BU 80-120 RM Answer Plot Results



90-RM Trial



	CROPLAN									Dekalb						Brevant					NK Brand					Pioneer						
Hybrid	CP3399SS/RIB	CP3490VT2P/RIB	CP3519SS/RIB	CP3715SSPRO/RIB	CP3724VT2P/RIB	CP3790VT2P/RIB	CP3818TRE/RIB	CP3818VT4P/RIB	CP3899VT2P/RIB	DKC094-67RIB	DKC094-78RIB	DKC095-57RIB	DKC096-21RIB	DKC098-88RIB	DKC099-11RIB	B94C58PCE	B95R21V	B96A41PCE	B96M56PCE	B97G09Q	NK9231-AA	NK9400-V	NK9771-DV	NK9805-DV	NK9908-AA	P95819PCE	P95819V	P9624Q	P96760PCE	P97299Q	Average	
	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac		
Gagetown-MI	207.6	203.0	222.6	210.5	230.8	232.0	195.4	176.5	228.5	209.5	210.4	205.6	222.2	193.1	223.8	195.5	225.8	218.0	232.9	218.5	207.3	218.0	213.3	195.0	234.5	217.6	197.0	212.9	201.5	221.7	212.7	
Hamilton-MI	259.6	281.9	291.3	280.4	288.1	292.7	287.2	278.8	272.7	273.5	277.6	287.7	287.5	290.5	272.1	236.9	256.8	273.0	300.7	262.6	277.3	250.9	295.6	256.4	281.3	281.2	272.8	255.5	246.9	264.5	274.5	
Manitowoc-WI																																
Menomonie-WI																																
Pipestone-MN	200.9	209.7	236.9	246.3	243.7	228.9	238.6	240.6	237.5	244.3	215.0	238.5	231.0	245.6	251.8	231.2	239.1	229.7	236.7	232.2	229.2	217.6	237.6	205.5	217.2	236.6	236.2	238.4	209.8	212.5	230.6	
Santiago-MN	181.2	203.6	187.0	201.7	187.2	202.2	191.9	188.1	179.7	207.8	203.1	189.2	192.2	193.6	179.3	186.7	188.7	185.0	190.6	171.2	190.3	187.5	196.0	166.1	193.4	185.4	176.8	170.7	168.0	185.4	187.7	
Shawano-WI																																
Wanamingo-MN	241.0	246.8	272.7	274.0	281.9	260.1	259.5	247.8	262.6	246.0	286.9	276.7	280.8	271.2	274.3	270.8	283.0	281.4	298.0	274.8	275.8	270.6	270.4	254.8	279.8	299.4	273.9	269.5	263.3	273.3	270.7	
WestSalem-WI	254.0	244.5	289.3	280.1	308.8	297.2	253.0	247.5	265.5	265.7	289.9	286.3	278.4	253.9	292.4	269.2	262.1	287.0	307.3	281.8	304.4	263.0	273.9	273.4	303.9	299.7	270.9	270.4	256.4	275.7	276.9	
Average	224.1	230.2	250.0	248.8	256.7	252.2	237.6	229.9	244.7	241.1	247.2	247.3	248.7	244.1	248.9	234.4	245.8	245.7	261.0	244.2	247.4	234.6	247.8	225.2	251.7	253.3	241.5	240.1	227.6	238.8	243.0	

95-RM Trial



	CROPLAN									Dekalb						Brevant					NK Brand					Pioneer					
Hybrid	CP3399SS/RIB	CP3490VT2P/RIB	CP3519SS/RIB	CP3715SSPRO/RIB	CP3724VT2P/RIB	CP3790VT2P/RIB	CP3818TRE/RIB	CP3818VT4P/RIB	CP3899VT2P/RIB	DKC094-67RIB	DKC094-78RIB	DKC095-57RIB	DKC096-21RIB	DKC098-88RIB	DKC099-11RIB	B94C58PCE	B95R21V	B96A41PCE	B96M56PCE	B97G09Q	NK9231-AA	NK9400-V	NK9771-DV	NK9805-DV	NK9908-AA	P95819PCE	P95819V	P9624Q	P96760PCE	P97299Q	Average
	Bu/AC	Bu/AC	Bu/AC	Bu/AC	Bu/AC	Bu/AC	Bu/AC	Bu/AC	Bu/AC	Bu/AC	Bu/AC	Bu/AC	Bu/AC	Bu/AC	Bu/AC	Bu/AC	Bu/AC	Bu/AC	Bu/AC	Bu/AC	Bu/AC	Bu/AC	Bu/AC	Bu/AC	Bu/AC	Bu/AC	Bu/AC	Bu/AC	Bu/AC	Bu/AC	
Beaver Dam-WI																															
Emmetsburg-IA																															
Gagetown-MI	207.6	203.0	222.6	210.5	230.8	232.0	195.4	176.5	228.5	209.5	210.4	205.6	222.2	193.1	223.8	195.5	225.8	218.0	232.9	218.5	207.3	218.0	213.3	195.0	234.5	217.6	197.0	212.9	201.5	221.7	212.7
Hamilton-MI	259.6	281.9	291.3	280.4	288.1	292.7	287.2	278.8	272.7	273.5	277.6	287.7	287.5	290.5	272.1	236.9	256.8	273.0	300.7	262.6	277.3	250.9	295.6	256.4	281.3	281.2	272.8	255.5	246.9	264.5	274.5
Manitowoc-WI																															
Menomonie-WI																															
Pipestone-MN	200.9	209.7	236.9	246.3	243.7	228.9	238.6	240.6	237.5	244.3	215.0	238.5	231.0	245.6	251.8	231.2	239.1	229.7	236.7	232.2	229.2	217.6	237.6	205.5	217.2	236.6	236.2	238.4	209.8	212.5	230.6
Santiago-MN	181.2	203.6	187.0	201.7	187.2	202.2	191.9	188.1	179.7	207.8	203.1	189.2	192.2	193.6	179.3	186.7	188.7	185.0	190.6	171.2	190.3	187.5	196.0	166.1	193.4	185.4	176.8	170.7	168.0	185.4	187.7
Wanamingo-MN	241.0	246.8	272.7	274.0	281.9	260.1	259.5	247.8	262.6	246.0	286.9	276.7	280.8	271.2	274.3	270.8	283.0	281.4	298.0	274.8	275.8	270.6	270.4	254.8	279.8	299.4	273.9	269.5	263.3	273.3	270.7
WestSalem-WI	254.0	244.5	289.3	280.1	308.8	297.2	253.0	247.5	265.5	265.7	289.9	286.3	278.4	253.9	292.4	269.2	262.1	287.0	307.3	281.8	304.4	263.0	273.9	273.4	303.9	299.7	270.9	270.4	256.4	275.7	276.9
Average	224.1	230.2	250.0	248.8	256.7	252.2	237.6	229.9	244.7	241.1	247.2	247.3	248.7	244.1	248.9	234.4	245.8	245.7	261.0	244.2	247.4	234.6	247.8	225.2	251.7	253.3	241.5	240.1	227.6	238.8	243.0

100-RM Trial

Answer Plot[®]

CORN
YIELD REPORT 2025



Hybrid	CROPLAN								Dekalb						Brevant					NK Brand					Pioneer			Average
	CP3818TRE/RIB	CP3818VT4P/RIB	CP3852TRE/RIB	CP3980VT2P/RIB	CP4024SSPRO/RIB	CP4083VT4P/RIB	CP4188VT2P/RIB	CP4444VT2P/RIB	DKC099-59RIB	DKC100-21RIB	DKC101-35RIB	DKC102-13RIB	DKC103-63RIB	DKC104-08RIB	B01V22AM	B01X44PCE	B98Z37PCE	B99A24V	B99R54PCE	NK0025-DV	NK0123-AA	NK0252-D	NK0367-AA	NK9908-AA	P0075Q	P9823V	P9955PCE	
	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	
Beaver Dam-WI																												
DavidCity-NE	249.1	253.6	262.1	242.4	220.3	261.5	222.5	232.2	235.1	236.4	243.5	260.0	258.0	238.9	256.5	257.3	259.0	236.0	250.3	258.8	219.2	241.7	214.6	241.0	258.6	202.3	238.2	242.6
Emmetsburg-IA																												
Fennimore-WI																												
Gagetown-MI	195.9	178.3	218.7	216.8	219.5	202.1	225.1	219.5	250.2	209.4	223.4	212.7	234.2	253.5	237.3	239.7	239.3	229.0	239.2	207.7	226.9	225.9	223.1	228.9	240.1	206.5	224.0	223.2
Hamilton-MI	276.0	283.2	292.2	290.9	279.1	249.7	273.3	322.3	313.1	274.0	302.4	295.3	304.3	301.0	282.8	290.4	259.8	291.2	295.7	268.6	280.8	283.9	271.3	299.2	284.7	273.2	280.0	285.9
Janesville-WI	297.8	271.2	292.5	299.4	289.2	286.9	277.0	292.8	287.9	293.9	297.3	301.1	353.2	303.0	313.6	319.4	299.5	293.8	315.6	278.7	285.3	292.8	299.3	311.6	311.0	284.2	311.0	298.5
Jesup-IA																												
Manitowoc-WI																												
Menomonie-WI																												
Owatonna-MN	222.4	218.7	248.0	220.9	234.1	235.4	223.4	243.3	232.1	226.1	229.2	259.9	230.4	243.9	250.5	257.7	247.9	240.9	267.8	232.3	247.2	230.4	241.8	243.1	239.2	246.1	244.3	239.1
Pipestone-MN	246.2	230.4	250.8	248.5	252.9	231.1	222.1	232.9	262.3	238.0	244.3	240.6	263.2	249.5	230.8	256.9	232.4	256.5	266.5	235.6	230.1	234.2	244.8	207.2	237.2	226.0	245.0	241.3
Princeton-IL	288.9	285.2	276.0	257.8	256.6	265.2	265.8	278.6	282.1	255.6	269.6	276.6	292.1	269.0	278.0	290.0	286.1	264.0	288.5	245.0	259.3	242.5	262.9	278.1	273.2	248.8	278.5	270.9
Rudd-IA	220.9	228.1	226.6	228.4	232.7	225.7	217.2	243.9	222.5	208.9	227.7	244.1	245.8	223.5	240.2	254.9	227.9	248.1	238.0	239.6	235.5	204.8	232.8	217.6	230.6	239.9	222.5	230.7
Truman-MN	272.4	258.9	270.5	264.1	270.5	274.8	258.9	269.2	272.1	265.8	266.3	262.0	293.5	287.8	284.2	287.6	283.8	260.8	290.9	267.9	275.5	266.0	288.9	281.5	279.5	264.4	272.4	273.7
Vincent-IA	241.5	235.3	239.9	240.5	239.5	246.0	229.8	249.6	226.5	229.2	233.8	254.8	270.2	251.1	248.2	257.0	254.6	254.4	256.9	260.0	246.6	252.6	248.1	234.7	252.2	237.2	255.3	246.1
Wanamingo-MN	277.0	247.0	278.4	278.3	266.8	262.7	252.0	286.3	284.7	279.3	275.4	281.9	307.6	291.5	292.6	310.9	276.9	281.3	300.2	263.8	262.2	283.2	279.4	273.7	286.6	280.9	289.8	279.6
WestSalem-WI	258.4	259.0	298.1	289.7	282.7	262.3	247.7	307.2	287.7	254.8	260.0	291.6	332.7	313.7	310.2	297.0	278.1	281.5	301.2	288.5	299.7	301.0	304.4	300.6	282.8	269.2	296.5	287.3
Average	251.2	243.0	260.3	254.6	252.9	248.0	241.4	262.5	260.1	244.1	254.2	263.6	281.2	266.1	266.8	274.4	259.5	261.1	273.6	252.6	255.1	250.4	258.7	256.9	262.1	248.2	260.6	257.9

105-RM Trial



	CROPLAN					Dekalb						Brevant						NK Brand					Armor			Pioneer				
Hybrid	CP4516TRE/RIB	CP4652SSPRO/RIB	CP4757VT2P/RIB	CP4770SS/RIB	CP4840TRE/RIB	DKC106-98RIB	DKC107-69RIB	DKC108-17RIB	DKC108-64RIB	DKC109-71RIB	DKC56-26RIB	B03H35V	B04J45PCE	B04R11Q	B05D47PCE	B06W51AM	B07G52PCE	NK0415-AA	NK0604-DV	NK0877-V	NK0880-V	NK0922-V	ARM0480SS-RIB	ARM0722SS-RIB	ARM0755VT2P-RIB	P03115V	P04511V	P05737PCE	P05737V	Average
	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac
Beaver Dam-WI																														
DavidCity-NE	243.5	203.4	182.7	233.1	278.2	249.7	262.2	246.7	254.2	251.2	241.1	195.6	241.8	213.1	263.4	237.5	258.2	226.4	216.5	235.5	223.6	269.2	251.5	239.7	234.4	221.5	220.5	216.8	206.1	235.1
Emmetsburg-IA																														
Fennimore-WI																														
Hamilton-MI	297.8	286.9	282.8	290.4	324.4	313.7	292.0	303.4	315.2	307.5	313.8	254.6	287.1	299.8	293.4	305.3	320.2	276.8	274.6	306.3	288.9	301.0	289.2	264.5	304.7	296.4	268.1	287.2	292.9	294.4
Janesville-WI	325.7	306.6	294.2	318.6	328.0	330.5	320.9	330.7	322.7	327.5	341.4	248.0	310.4	308.6	334.0	324.0	348.0	311.4	283.8	300.2	320.8	291.7	284.5	323.0	305.8	301.3	274.9	315.3	303.4	311.6
Jesup-IA																														
Kellogg-IA	268.2	220.3	229.0	233.9	272.2	264.4	255.2	237.7	240.8	265.2	275.1	206.9	254.5	244.4	277.1	230.9	268.6	237.4	259.5	237.0	259.8	242.2	239.8	232.2	236.0	246.2	236.2	252.4	254.7	247.5
Owatonna-MN	246.6	203.0	225.0	230.6	267.4	264.0	249.5	245.5	249.9	235.5	252.7	205.7	240.3	235.1	266.2	258.5	268.6	238.9	252.1	239.9	237.3	234.6	225.7	231.0	233.6	248.2	247.1	245.3	251.5	242.4
Pipestone-MN	272.5	245.6	254.1	262.0	292.0	254.0	265.2	267.2	232.3	282.0	257.6	218.3	257.3	252.0	273.3	261.5	278.4	238.2	226.5	230.1	242.5	239.8	252.8	269.4	261.1	248.6	247.1	256.1	241.9	254.5
Princeton-IL	261.1	257.1	261.3	292.5	294.3	269.5	299.8	295.5	287.3	306.4	290.0	215.1	289.8	286.8	311.4	298.1	311.1	290.3	268.1	299.5	304.3	300.2	273.3	280.3	271.8	270.0	278.6	261.4	268.0	282.5
Raymond-NE	231.7	186.9	180.8	216.0	269.6	255.0	245.8	221.9	221.0	244.1	269.1	176.8	217.9	209.6	249.9	201.4	244.8	231.7	217.3	222.7	247.3	172.6	221.9	193.2	228.2	207.8	216.9	208.5	216.1	221.6
Rudd-IA	228.9	188.1	199.0	239.6	265.1	247.6	251.5	237.1	227.3	244.3	257.4	185.6	222.7	218.9	252.7	221.7	245.3	219.6	223.4	210.3	246.0	194.7	230.3	216.8	213.3	235.0	229.5	221.1	229.7	227.7
Sheldon-IA																														
Truman-MN	292.5	265.0	266.6	301.3	305.6	305.0	300.6	328.8	322.3	330.1	319.1	259.2	291.3	297.8	290.9	298.6	320.0	274.7	268.9	280.1	282.0	287.0	293.2	296.3	293.4	282.9	261.0	281.1	270.3	291.9
Vincent-IA	261.9	219.0	236.8	259.0	286.1	267.5	296.0	247.4	246.1	262.6	279.9	216.2	259.7	250.0	282.8	244.8	281.8	232.8	251.6	248.6	247.1	254.5	237.9	263.6	245.1	255.1	246.1	236.3	249.0	254.0
Wanamingo-MN	284.9	264.3	262.7	286.7	295.7	293.1	281.3	280.0	273.7	306.8	297.1	259.6	282.6	292.3	309.3	304.8	306.0	284.1	275.7	277.8	276.0	289.9	279.7	287.0	282.9	281.5	285.2	301.4	287.3	285.8
Washington-IA	252.5	230.6	224.6	257.7	263.7	267.9	264.8	271.3	268.6	263.2	265.5	213.9	274.0	262.5	263.3	248.5	265.7	243.3	243.5	243.4	242.2	242.9	250.0	243.5	247.0	237.9	236.1	254.3	254.4	251.6
WestSalem-WI	290.8	264.5	306.4	294.1	302.0	301.7	300.6	310.8	307.7	291.2	308.0	262.1	294.1	296.7	318.8	293.3	321.5	319.9	276.8	272.9	281.2	296.8	288.6	297.8	326.1	297.9	279.7	311.7	278.6	296.3
Average	263.8	232.5	238.6	262.6	286.9	273.7	275.4	269.7	266.2	276.8	281.2	217.8	260.2	257.6	282.1	261.3	284.7	255.9	250.2	252.8	262.7	254.4	256.2	255.6	258.8	256.1	249.3	256.2	254.0	260.5

110-RM Trial



Hybrid	CROPLAN							Dekalb					Brevant					NK Brand					Pioneer			Average
	CP4839PCE	CP4917SSPRO/RIB	CP5050VT4P/RIB	CP5132SS/RIB	CP5208VT2P/RIB	CP5249PCE/RA	CP5272VT2P/RIB	DKC110-10RIB	DKC112-12RIB	DKC112-35RIB	DKC113-03RIB	DKC114-99RIB	B10G53PCE	B10Z50PCE	B11M47V	B12H48PCE	B12J58V	NK0880-V	NK1056-V	NK1188-D	NK1228-AA	NK1307-DV	P0859AM	P10477V	P12065Q	
	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	
DavidCity-NE	230.0	242.2	241.7	253.2	270.9	238.0	233.2	224.0	255.0	264.7	235.3	276.4	247.9	243.6	244.3	223.7	272.9	220.5	199.9	227.4	214.7	223.2	255.7	242.0	245.7	241.0
Fennimore-WI																										
Janesville-WI	314.7	287.9	326.6	321.4	295.7	328.7	304.0	315.7	316.3	296.4	324.1	328.5	320.2	328.5	333.6	343.8	311.1	301.5	289.4	311.5	301.1	286.5	321.2	306.9	312.1	313.1
Jesup-IA																										
Kellogg-IA	239.9	252.7	248.0	271.9	238.2	229.2	223.8	272.9	248.0	221.3	252.5	266.0	244.5	255.9	234.1	268.1	245.4	231.3	222.0	224.9	236.7	228.2	231.6	238.5	223.6	242.0
Norborne-MO	250.1	255.6	267.9	248.2	259.6	293.6	249.5	234.3	263.4	263.6	245.5	274.4	249.9	261.2	266.4	259.8	272.6	242.9	243.7	243.0	244.4	243.0	258.5	265.3	244.8	256.1
Owatonna-MN	207.7	231.3	247.2	263.7	220.2	245.5	228.7	235.4	257.0	237.3	256.2	249.6	250.6	261.2	243.6	249.2	236.0	233.3	229.1	233.7	247.1	242.2	242.3	270.2	247.4	242.6
Princeton-IL	295.3	252.8	287.2	263.5	268.0	342.4	282.5	279.5	302.8	300.4	285.7	299.0	312.4	308.9	307.4	313.2	318.2	294.4	284.7	314.5	308.8	302.3	284.4	295.6	287.6	295.7
Raymond-NE	210.6	251.1	224.6	231.8	256.9	204.8	216.1	232.0	241.3	278.2	228.5	233.8	227.5	202.2	237.5	228.8	231.0	211.5	203.6	219.2	198.5	205.3	230.4	241.9	215.2	226.5
Rudd-IA	207.3	241.7	242.6	252.1	236.7	240.9	225.2	227.8	234.3		239.2	235.4	231.5	217.0	228.0	249.6	231.3	213.8	209.1	222.2	230.6	240.7	238.8	238.1	219.1	231.4
Sandwich-IL	291.5	307.7	316.2	309.2	297.8	333.5	304.0	304.4	337.0	349.5	310.4	331.4	316.5	303.9	323.4	306.3	307.2	289.3	290.4	297.9	313.8	289.8	310.6	294.3	298.4	309.4
Sheldon-IA																										
Syracuse-NE	135.5	160.0	161.6	156.3	175.7	167.5	183.2	167.7	183.7	185.8	159.3	188.4	166.2	149.0	157.1	155.0	164.6	146.0	136.9	163.0	152.7	128.7	166.6	145.5	158.5	160.6
Truman-MN	299.1	298.8	295.6	306.2	318.4	319.0	301.0	296.1	311.1	306.2	307.3	308.0	310.6	324.5	322.1	325.6	317.0	261.4	285.0	293.4	291.4	289.6	295.1	311.8	305.4	304.0
Villisca-IA																										
Vincent-IA	253.7	259.2	262.0	274.9	271.8	270.5	240.2	265.6	262.0	287.8	250.9	276.9	262.0	266.9	259.6	260.9	271.3	231.2	248.3	246.9	252.2	258.7	284.4	277.1	258.7	262.1
Washington-IA	250.8	258.1	252.7	261.4	236.8	263.2	254.2	267.9	250.0	259.4	271.0	271.7	245.4	268.4	261.9	262.2	248.0	227.5	243.5	213.4	240.5	234.5	256.7	250.2	239.7	251.6
Average	243.7	251.6	256.8	260.3	256.0	265.9	247.9	253.3	263.5	269.9	257.5	269.4	258.9	257.7	259.4	262.4	262.3	236.5	235.6	244.9	246.4	244.3	259.3	259.5	249.0	254.9

115-RM Trial



Hybrid	CROPLAN								Dekalb					Brevant					NK Brand					Armor		Pioneer				Average
	CP5320SSPRO/RIB	CP5336VT2P/RIB	CP5363TRE/RIB	CP5370VT2P/RIB	CP5468VT4P/RIB	CP5497VT2P/RIB	CP5678VT2P/RIB	CP5682TRE/RIB	DKC115-55RIB	DKC117-27RIB	DKC117-89RIB	DKC66-06RIB	DKC68-35RIB	B13C49PCE	B13R55V	B13Z51V	B14C59V	B16D58PCUE	NK1307-DV	NK1386-VZ	NK1480-DV	NK1661-DV	NK1732-DVZ	ARM1447VT2P-RIB	ARM1460VT2P-RIB	P13777PCE	P13968AMXT	P14830AML	P16544PCE	
	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	
DavidCity-NE	244.5	254.5	233.0	237.2	239.4	244.5	236.8	241.9	271.4	238.6	273.1	237.3	245.5	237.6	255.9	253.2	210.1	250.6	223.9	245.3	188.9	231.9	219.8	238.4	217.6	262.6		232.3	219.9	238.8
Kellogg-IA																														
Norborne-MO	259.7	271.4	264.6	235.4	249.8	272.6	258.7	259.0	263.8	256.1	279.9	262.9	260.7	265.8	279.2	244.1	248.4	261.1	239.4	247.6	241.0	233.9	237.1	238.6	246.9	267.3	212.7		241.4	253.5
Princeton-IL	307.8	294.4	281.0	278.4	288.5	307.4	288.0	293.2	298.0	287.7	315.5	314.3	275.4	328.6	339.8	295.4	282.3	341.9	295.7	282.3	298.9	261.6	301.6	283.9	282.4	318.4	255.2		305.1	296.5
Raymond-NE	250.4	202.5	206.6	214.8	225.3	241.2	205.1	226.0	282.2	214.3	291.6	217.6	212.2	249.8	217.9	208.1	211.2	244.3	230.5	221.3	195.3	193.1	200.2	218.4	199.7	220.5		253.3	211.1	223.7
Sandwich-IL	332.3	334.8	312.2	306.8	305.2	341.0	317.0	341.2	298.6	320.6	327.9	326.8	332.4	332.1	333.7	320.5	303.6	335.0	296.6	295.5	296.6	280.0	279.6	284.7	302.2	321.7	220.7		301.4	310.7
Syracuse-NE	176.9	179.1	165.3	181.0	186.0	168.4	153.8	177.2	184.0	161.6	208.1	178.6	170.3	163.1	174.2	164.2	151.5	183.1	177.0	174.7	140.4	172.9	163.6	163.5	144.3	153.9		150.8	164.4	169.0
Villisca-IA																														
Washington-IA	262.4	264.7	263.5	237.4	257.2	248.3	214.7	282.2	265.7	257.4	266.8	254.2	234.4	262.4	237.5	263.4	254.3	271.5	239.9	248.9	248.5	237.9	231.3	237.8	250.5	261.2	185.7		248.9	249.6
Average	254.4	249.6	241.3	237.8	246.3	255.6	230.2	255.0	263.4	242.8	277.8	250.9	240.9	257.9	256.8	244.3	230.2	264.8	240.3	241.0	223.5	225.5	228.9	233.8	229.3	251.8	218.6	210.3	237.1	242.8

120-RM Trial



Hybrid	CROPLAN					Dekalb				Brevant				NK	Armor		Pioneer		Average
	CP5678VT2P/RIB	CP5682TRE/RIB	CP5760TRE/RIB	CP5893TRE/RIB	CP5911VT2P/RIB	DKC119-09	DKC119-30RIB	DKC68-35RIB	DKC70-45RIB	B16D58PCUE	B17H53PCE	B17Z18AM	B18F48V	NK1732-DVZ	ARM1460VT2P-RIB	ARM1575VT2P-RIB	P1742Q	P2042AML	
	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	
Norborne-MO	254.1	256.7	254.8	257.8	278.7	263.9	256.8	252.7	252.1	247.7	254.8	278.9	253.5	240.2	244.1	253.8		251.9	256.0
Raymond-NE	203.5	217.4	202.3	241.5	262.0	262.1	192.9	196.1	228.1	251.5	220.6	213.3	217.6	181.1	171.5	249.1	202.4	182.6	216.4
Syracuse-NE	159.1	162.5	141.5	182.4		169.5	172.8	164.3	175.1	175.6	158.8	169.5	160.7	158.0	134.7	184.9	162.8	152.6	163.8
Villisca-IA																			
Average	209.3	215.6	203.8	229.6	271.3	234.3	211.3	208.1	221.0	226.7	214.7	225.1	213.9	196.7	188.1	231.1	182.6	200.0	215.7